



# DPU-600 HI-FLOW SERIES ALTERNATIVE FILTERS

## *The Cost Effective Approach to Quality Filtration*

Filtration & Membrane Technology, Inc., (FMT) introduces its DPU-600 HI-FLOW Series, absolute rated, alternative filter element. With a 99.98% removal efficiency, it is available in filtration ranges from 0.5 to 70 microns, and is designed for low solids applications requiring high flow rates.

The unique design of this pleated element provides a large effective filter surface area within the space constraints of a standard 6" cartridge diameter. Dirt holding capacity is maximized by combining several media layers together in a single pleat pack, while flow is maximized through the use of a large ID.



The FMT DPU-600 HI-FLOW Series element is designed to fit inside existing housings and provide an O-ring seal without housing modification. It is available in a variety of filter media to meet industry standards and chemical compatibility.

With recommended flow rates of up to 500 GPM, the DPU 600 HI-FLOW Series element can accommodate high flow rates, thus providing optimum performance at minimized filtration costs.



## HI-FLOW SERIES DATA

**DATA FOR 60" HI-FLOW SERIES  
POLYPROPYLENE MEDIA**



# HI-FLOW FILTER SERIES

## HI-FLOW SERIES CODES

**P** – 100% PolyPro Components  
Except O-Ring Seal, Thermally  
Bonded End Caps (Standard)

**N** – Nylon End Caps, Coreless Can  
Body, High Temperature Epoxy End  
Cap Sealing


**L** – Acetal End Caps, Polyester  
Core, Polyester Outer Wrapping  
Thermally Bonded End Caps

**M** – Carbon Steel End Caps,  
Coreless Can Body, High  
Temperature Epoxy End Cap  
Sealing

**S** – 304 SS End Caps, Coreless Can  
Body, High Temperature Epoxy End  
Cap Sealing



## CARTRIDGE CODING



Notice: The information presented here is based on tests and data which FMT believes to be reliable, but their accuracy or completeness is not guaranteed. FMT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. The determination of whether the FMT product is fit for a particular purpose or application is the responsibility of the user.



FORM DPU-600 08/11

**Filtration & Membrane Technology, Inc.**

8342 Silvan Wind  
Houston, Texas 7704  
713-870-1120

[www.fmt-houston.com](http://www.fmt-houston.com)